

BEST CHOICE BISACODYL LAXATIVE- bisacodyl tablet, coated

Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP 5 mg

Purpose

Simulant laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water
-

adults and children 12 years of age and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- store between 20°-25°C (68°-77°F)

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Package Label.Principal Display Panel

Compare to the active ingredient in Dulcolax®*

Laxative

Bisacodyl

- Stimulant laxative for gentle, dependable overnight relief

Comfort Coated TABLETS 5 mg Each

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



Bisacodyl

Actual Size



• Stimulant laxative for gentle, dependable overnight relief

Comfort Coated
25 TABLETS 5 mg Each

TAMPER EVIDENT: DO NOT USE IF CARTON UNIT IS TORN, BROKEN OR SHOWS ANY

KEEP OUTER CARTON FOR COMPLETE WARNING

Lot No.:
Exp. Date:

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

**Best Choice,
100% Guaranteed**
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

BEST CHOICE



0 70038 59143 6

PLD-E23J FC001692

Drug Facts		Warnings	
Active ingredient (in each tablet) Bisacodyl USP 5 mg.....Stimulant laxative		Do not use if you cannot swallow without chewing.	
Purpose		Ask a doctor before use if you have ■ stomach pain, nausea or vomiting ■ a sudden change in bowel habits that lasts more than 2 weeks	
Use ■ for temporary relief of occasional constipation and irregularity ■ this product generally produces a bowel movement in 6 to 12 hours		Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use.	
Directions ■ take with a glass of water adults and children 12 years of age and over take 1 to 3 tablets in a single daily dose children 6 to under 12 years of age take 1 tablet in a single daily dose children under 6 years of age ask a doctor		When using this product ■ do not chew or crush tablet(s) ■ do not use within 1 hour after taking an antacid or milk ■ it may cause stomach discomfort, faintness and cramps	
Other information ■ store between 20°-25°C (68°-77°F)		Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	
Drug Facts (continued) Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide	

Best Choice Laxative Tablet

BEST CHOICE BISACODYL LAXATIVE

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-190	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BISACODYL (UNII: 10 X0709 Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)		BISACODYL	5 mg	
Inactive Ingredients				
Ingredient Name			Strength	
ACACIA (UNII: 5C5403N26O)				
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)				
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)				
CARNAUBA WAX (UNII: R12CBM0EIZ)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
BROWN IRON OXIDE (UNII: 1N032N7MFO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)				
POVIDONE (UNII: FZ989GH94E)				
SHELLAC (UNII: 46N107B71O)				
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	ORANGE, YELLOW	Score	no score	
Shape	ROUND	Size	6mm	
Flavor		Imprint Code	TCL003	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-190-25	1 in 1 BOX	11/02/2012	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL		part334	11/02/2012	

--	--	--	--

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2018

Best Choice (Valu Merchandisers Company)